Psychiatry INI-25 (May) Reworked

Subject: Psychiatry / Psychopharmacology
Topic: Bipolar Disorder
Subtopic: Teratogenicity of Mood Stabilizers
Question Number: 1
Clinical Question:
A 40-year-old woman with bipolar disorder is planning for pregnancy. Which of the following drugs must be avoided due to the possibility of neural tube defects and intellectual disability?

Options:

A. Valproate
B. Oxcarbazepine
C. Lamotrigine
D. Levetiracetam

Correct Answer: A) Valproate

Subject: Psychiatry / Neurobiology
Topic: Memory Systems
Subtopic: Explicit vs. Implicit Memory
Question Number: 2
Non-Clinical Question:
Which of the following is responsible for explicit memory?

Options:

A. Thalamus
B. Hippocampus
C. Amygdala
D. Cerebellum

Correct Answer: B) Hippocampus

Subject: Psychiatry / Biological Therapies
Topic: Antidepressant Treatments
Subtopic: Novel & Rapid-Onset Agents
Question Number: 4
Non-Clinical Question:
Which of the following new psychoactive agents results in rapid onset of action in the management of depression?

Options:

A. Cannabinoids
B. Ketamine
C. Bupropion
D. Mephedrone

Correct Answer: B) Ketamine

Subject: Psychiatry
Topic: MSE
Subtopic: Disorders of Thought
Question Number: 5
Clinical question:
A patient with schizophrenia says, "Lord Hanuman was celibate. I am celibate too. So I am Lord Hanuman". Which thought abnormality is present in this patient?

Options:

A) Autistic thinking
B) Verbigeration
C) Neologism
D) Loosening of association

Correct Answer: A) Autistic thinking

Subject: Psychiatry
Topic: Substance Abuse
Subtopic: Opioids
Question Number: 6
Non - Clinical question:
Which of the following is incorrect?

Options:

A) Cannabis is associated with minimal withdrawal physical symptoms
B) Buprenorphine can be used for the management of opioid withdrawal
C) Opioids withdrawal is rarely fatal
D) I.V Flumazenil is used in alcohol withdrawal long-term

Correct Answer: D) I.V Flumazenil is used in alcohol withdrawal long-term

Subject: Psychiatry
Topic: Depression
Subtopic: ICD 10 diagnostic criteria
Question Number: 7
Non - Clinical question:
Which of the following is NOT an ICD-10 diagnostic criterion for depression?

Options:

A) Low energy levels
B) Low mood for most of the day
C) Loss of interest in pleasurable things
D) Low self-esteem and confidence

Correct Answer: D) Low self-esteem and confidence

Subject: Psychiatry
Topic: Acute Mania
Subtopic: Treatment
Question Number: 8
Non - Clinical question:
Which of the following drugs are used in treatment of acute mania?

1) Haloperidol
2) Valproate
3) Lithium
4) Amitriptyline

Options:

A) Only 3
B) 1, 2, 3
C) 1, 2, 3, 4
D) 1, 3

Correct Answer: B) 1, 2, 3

LOGIN FOR SUCCESS